

---

## Three-dimensional Melamine Carbon Sponge/NaI as Cathode

### Materials for Sodium-ion Batteries

Qianying Huang <sup>a,1</sup>, Yue Liu <sup>a,1</sup>, Zixin Lin <sup>a</sup>, Shuyi Zheng <sup>a</sup>, Tingting Mei <sup>a</sup>, Yuting Tang <sup>a</sup>, Yinghe Zhang <sup>b,c,\*</sup>, Jun Liu <sup>a,\*</sup>


<sup>a</sup> School of Materials and Energy, Guangdong University of Technology, Guangzhou, 510006, PR China

<sup>b</sup> School of Science, Harbin Institute of Technology (Shenzhen), University Town, Shenzhen 518055, PR China

<sup>c</sup> Shenzhen Key Laboratory of Advanced Functional Carbon Materials Research and Comprehensive Application

<sup>1</sup> Q. Huang and Y. Liu contributed equally.

\*Corresponding authors: [yinghe.zhang@googlemail.com](mailto:yinghe.zhang@googlemail.com) (Y. zhang); [junliu23@gdut.edu.cn](mailto:junliu23@gdut.edu.cn) (J. Liu)



The Raman spectra of Melamine Carbon Sponge.

The intensity ratios of D and G peaks ( $I_D/I_G$  ratios) can indicate the disorder degree of Melamine Carbon Sponge.